

Fig - 1




Fig - 2




Fig - 3A




Fig - 3B

Prologistics : Shipments																																					
<p>Shipments Packages Data Configuration Help</p> <hr/> <p>Shipments</p> <table style="width: 100%;"> <tr> <td style="width: 30%;">Sh<u>i</u>p<u>p</u>e<u>r</u></td> <td><input type="text"/></td> </tr> <tr> <td>Serv<u>i</u>c<u>e</u></td> <td><input type="text"/></td> </tr> <tr> <td>Reference S</td> <td><input type="text"/></td> </tr> <tr> <td>Consignee</td> <td><input type="text"/></td> </tr> <tr> <td>Zip Code</td> <td><input type="text" value="00000"/></td> </tr> <tr> <td>C<u>m</u>mitment</td> <td><input type="text"/></td> </tr> <tr> <td>T<u>e</u>rms</td> <td><input type="text"/></td> </tr> </table> <p>Packages</p> <table style="width: 100%;"> <tr> <td style="width: 30%;">Reference S</td> <td><input type="text"/></td> </tr> <tr> <td>Weight</td> <td><input type="text" value="0 lbs 0.0 oz"/></td> </tr> <tr> <td>Dimensions</td> <td><input type="text" value="0x0x0"/></td> </tr> <tr> <td>Packaging</td> <td><input type="text"/></td> </tr> <tr> <td>LTL Item No.</td> <td><input type="text"/></td> </tr> </table>	Sh <u>i</u> p <u>p</u> e <u>r</u>	<input type="text"/>	Serv <u>i</u> c <u>e</u>	<input type="text"/>	Reference S	<input type="text"/>	Consignee	<input type="text"/>	Zip Code	<input type="text" value="00000"/>	C <u>m</u> mitment	<input type="text"/>	T <u>e</u> rms	<input type="text"/>	Reference S	<input type="text"/>	Weight	<input type="text" value="0 lbs 0.0 oz"/>	Dimensions	<input type="text" value="0x0x0"/>	Packaging	<input type="text"/>	LTL Item No.	<input type="text"/>	<p>Delivery Options</p> <p><input type="checkbox"/> C.O.D. Shipment <input type="checkbox"/> Saturday Del.</p> <p>Ship Date : 09 - 14 - 1993</p> <table style="width: 100%;"> <tr> <td style="width: 33%;"> F2 Browse</td> <td style="width: 33%;"> F10 Examine</td> <td style="width: 33%;"> F3 Load</td> </tr> <tr> <td> F4 Create Release</td> <td> F5 Rate</td> <td> F9 Ctrl-F8 Void</td> </tr> </table> <p>New shipment</p> <p>Special Services</p> <p><input type="checkbox"/> C.O.D. Package <input type="checkbox"/> Proof of Del. <input type="checkbox"/> Declared Value <input type="checkbox"/> Oversize <input type="checkbox"/> Hazardous <input type="checkbox"/> Tracking</p> <table style="width: 100%;"> <tr> <td style="width: 33%;"> F12 Add</td> <td style="width: 33%;"> F8 Delete</td> <td style="width: 33%;"> F6 Last</td> </tr> <tr> <td> F7 Next</td> <td> F11 Repeat</td> <td></td> </tr> </table> <p>New package (O) in shipment</p>	F2 Browse	F10 Examine	F3 Load	F4 Create Release	F5 Rate	F9 Ctrl-F8 Void	F12 Add	F8 Delete	F6 Last	F7 Next	F11 Repeat	
Sh <u>i</u> p <u>p</u> e <u>r</u>	<input type="text"/>																																				
Serv <u>i</u> c <u>e</u>	<input type="text"/>																																				
Reference S	<input type="text"/>																																				
Consignee	<input type="text"/>																																				
Zip Code	<input type="text" value="00000"/>																																				
C <u>m</u> mitment	<input type="text"/>																																				
T <u>e</u> rms	<input type="text"/>																																				
Reference S	<input type="text"/>																																				
Weight	<input type="text" value="0 lbs 0.0 oz"/>																																				
Dimensions	<input type="text" value="0x0x0"/>																																				
Packaging	<input type="text"/>																																				
LTL Item No.	<input type="text"/>																																				
F2 Browse	F10 Examine	F3 Load																																			
F4 Create Release	F5 Rate	F9 Ctrl-F8 Void																																			
F12 Add	F8 Delete	F6 Last																																			
F7 Next	F11 Repeat																																				

Fig - 4A

Prologistics Packages	
Packages Data Configuration Help	

<p>Package</p> <p>Shipper <input type="text"/></p> <p>Consignee <input type="text"/></p> <p>Reference # <input type="text"/></p> <p>Zip Code <input type="text" value="00000"/></p> <p>Service <input type="text"/></p> <p>Weight <input type="text" value="0 lbs 0.0 oz"/></p> <p>Dimensions <input type="text" value="0x0x0"/></p> <p>Packaging <input type="text"/></p> <p>Terms <input type="text"/></p> <p>Commitment <input type="text"/></p> <p>LTL Item # <input type="text"/></p> <p>Ship Date: 09-14-1993 <input type="checkbox"/> Hundredweight Labels</p>	<p>Consignee</p> <p>Company <input type="text"/></p> <p>Address <input type="text"/></p> <p>City <input type="text"/></p> <p>State <input type="text"/> Zip Code <input type="text" value="00000"/></p> <p>Contact <input type="text"/></p> <p>Phone <input type="text"/></p> <p><input type="checkbox"/> Residential</p> <p>Special Services</p> <p><input type="checkbox"/> C.O.D. <input type="checkbox"/> Proof of Delivery</p> <p><input type="checkbox"/> Declared Value <input type="checkbox"/> Oversize</p> <p><input type="checkbox"/> Hazardous <input type="checkbox"/> Tracking</p> <p><input type="checkbox"/> Saturday Delivery</p>
--	--

<p> F3 Load</p> <p> F4 Create Ship</p> <p> F12 Repeat</p> <p> F11 Rate</p> <p> F9 Void</p> <p> F8 Multi</p> <p> Ctrl-M</p>	<p> F2 Browse</p> <p> F10 Examine</p>	<p><input type="text"/></p> <p style="text-align: center;">New package</p>
--	---------------------------------------	--

Fig - 4B

Prologistics' Script Administration			
Scripts Edit Help			
Application	SHIPMENTS	Machine	
Script	FIELD CHANGED	Argument	CONSIGNEE_CODE
<pre>/* Example Script to reset Commitment based on Service */ IMPORT CONSIGNEE_CODE IF CONSIGNEE_CODE = 3345 THEN DO SERVICE = UPS.2ND COMMITMENT = TWODAY_12_00_NOON END EXPORT "SERVICE COMMITMENT"</pre>			
Script loaded successfully			

Fig - 4C

Fig - 4D

Baud Rate: 9600		<input checked="" type="radio"/> None <input type="radio"/> Even <input type="radio"/> Odd <input type="radio"/> Mark (1) <input type="radio"/> Space (0)	
Parity		Data Bits	
<input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8		<input type="radio"/> 1 <input type="radio"/> 1.5 <input type="radio"/> 2	
Stop Bits		XON / XOFF Flow Control	
<input type="radio"/> 1 <input type="radio"/> 1.5 <input type="radio"/> 2		<input type="checkbox"/> Transmit <input type="checkbox"/> Receive	
XON Char: 17		XOFF Char: 19	

Hardware Flow Control		Timeouts	
<input type="checkbox"/> CTS Output <input type="checkbox"/> DSR Output	<input checked="" type="radio"/> Off <input type="radio"/> On <input type="radio"/> Handshake	<input type="checkbox"/> RTS	<input type="checkbox"/> Off <input type="radio"/> On <input type="radio"/> Handshake
Read: 5		Write: 5	
values are tenths of seconds			
Test...		Defaults	
Cancel		Save	


Fig - 4E

Fig - 4F

Fig - 4G

Device Selection

Select a Device:




NCI 1155 Label Printer



SPLC 150 Scale



Toledo 8213 Scale



Unimark U501 Printer



No Device

Cancel

OK

Fig - 4H



<div> Device Settings</div>		
<div> Toledo 8213 Scale</div>		
<div><div>Current Weight</div><div>Error getting weight.</div></div>		
<div>Weigh</div>	<div>Tare</div>	<div>OK</div>

Fig - 4I






Fig - 4J

 **Device Settings**


IBM 2380 Printer

Current Stock

No stock loaded

Change...

Test

Feed

OK

Fig - 4K

Select a Stock:

No stock loaded					
2' 2" x 1" thermal label					
2' 2" x 2" thermal label					
2' 2" x 3' 3 4" thermal label					
4" x 3" thermal label					
4' 2" x 4' 2" thermal label					
4" x 5" thermal label					
4" x 6' 2" thermal label					
4" x 5" Blank FedEx Thermal					
8' 2" x 11" plain paper (Letter)					

Cancel

 $\frac{Y}{O}$

Fig - 4L

Fig - 5

